

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S34	44	"717"/\$.ccls. ((cache\$2 or caching) near6 (configur\$6 or propt\$4)) ((cache\$2 or caching) with (re\$1us\$4 or later or future or subsequen\$4 or eas\$4 or fast\$4 or portal)) (web with (application or server or portal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/31 07:30
S33	9	"717"/\$.ccls. ((cache\$2 or caching) near6 (configur\$6 or propt\$4)) ((cache\$2 or caching) with (re\$1us\$4 or later or future or subsequen\$4 or eas\$4 or fast\$4)) (web with (application or server or portal)) portal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/31 07:29
S32	43	"717"/\$.ccls. ((cache\$2 or caching) near6 (configur\$6 or propt\$4)) ((cache\$2 or caching) with (re\$1us\$4 or later or future or subsequen\$4 or eas\$4 or fast\$4)) (web with (application or server or portal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/31 07:25
S31	211	"717"/\$.ccls. ((cache\$2 or caching) near6 (configur\$6 or propt\$4)) ((cache\$2 or caching) with (re\$1us\$4 or later or future or subsequen\$4 or eas\$4 or fast\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/31 07:24
S30	399	"717"/\$.ccls. ((cache\$2 or caching) near6 (configur\$6 or propt\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/31 07:23
S29	12	((template or file or table) near2 (configur\$6 or propt\$4)) near8 (load\$4 or access\$4 or match\$4 or compar\$4)) (server same portal) ((server or portal) with device) ((cache\$2 or caching) near6 (configur\$6 or propt\$4)) ((cache\$2 or caching) with (reus\$4 or fast\$4 or eas\$4 or subsequen\$4 or future or later))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/31 07:22
S28	11	((template or file or table) near2 (configur\$6 or propt\$4)) near8 (load\$4 or access\$4 or match\$4 or compar\$4)) (server same portal) ((server or portal) with device) ((cache\$2 or caching) near6 (configur\$6 or propt\$4)) ((cache\$2 or caching) with (reus\$4 or fast\$4 or eas\$4 or subsequen\$4 or future))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/31 07:13
S27	30	((template or file or table) near (configur\$6 or propt\$4)) near6 (load\$4 or access\$4 or match\$4 or compar\$4)) (server same portal) ((server or portal) with device) ((cache\$2 or caching) near6 (configur\$6 or propt\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/31 07:12
S26	112	((template or file or table) near (configur\$6 or propt\$4)) near6 (load\$4 or access\$4 or match\$4 or compar\$4)) (server same portal) ((server or portal) with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/31 07:11

## EAST Search History

S25	43	((template or file or table) near (configur\$6 or propri\$4)) near6 (load\$4 or access\$4 or match\$4 or compar\$4)) (server same portal same device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/31 07:10
S1	332	(device near6 (based or specific)) ((device near6 (configura\$6 or propri\$4)) with (template or file)) (web near2 application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/31 07:08
S24	16	(server near6 portal) ((configuration or propri\$4) near2 (file or template)) (((cache\$2 or caching or (subsequent near use)) same (configuration or propri\$4)) same (eas\$4 or fast\$4)) cach\$4 ((cache\$2 or caching or (subsequent near use)) same (configuration or propri\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/30 09:17
S23	6	(server near6 portal) ((configuration or propri\$4) near (file or template)) (((cache\$2 or caching or (subsequent near use)) with (configuration or propri\$4)) same (subsequen\$4 or use or future))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/30 09:13
S22	32	(server near6 portal) ((configuration or propri\$4) near (file or template)) ((cache\$2 or caching or (subsequent near use)) with (configuration or propri\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/30 09:12
S21	30	(server near6 portal) ((configuration or propri\$4) near (file or template)) ((cache or caching or (subsequent near use)) with (configuration or propri\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/30 09:11
S20	223	(server near6 portal) (configuration near (file or template)) (cache or caching or (subsequent near use))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/30 09:01
S19	42	((portal or server or application) near2 web) (((device or configur\$6 or propri\$4) near (file or descript\$4 or table)) near4 (load\$4 or match\$4 or compar\$4)) ((cache\$2 or caching) with (device (configur\$6 or propri\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/29 09:28
S18	234	((portal or server or application) near2 web) (((device or configur\$6 or propri\$4) near (file or descript\$4 or table)) near4 (load\$4 or match\$4 or compar\$4)) ((cache\$2 or caching) with (device or configur\$6 or propri\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/29 09:27

## EAST Search History

S17	241	((portal or server or application) near2 web) (((device or configur\$6 or properti\$4) near (file or descript\$4 or table)) near4 (load\$4 or match\$4 or compar\$4)) ((cache\$2 or caching) with (device or configur\$6 or properti\$4 or re\$1us\$4 or subsequen\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/29 09:27
S16	414	((portal or server or application) near2 web) (((device or configur\$6 or properti\$4) near (file or descript\$4 or table)) near4 (load\$4 or match\$4 or compar\$4)) (cache\$2 or caching)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/29 09:25
S15	738	((portal or server or application) near2 web) (((device or configur\$6 or properti\$4) near (file or descript\$4 or table)) near4 (load\$4 or match\$4 or compar\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/29 09:24
S14	53	(cache with (propt\$4 or configur\$6)) ((propt\$4 or configur\$6) near2 (file or template)) (web near application) @ay<"2004" (web.ti. or web.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 13:13
S13	114	(cache with (propt\$4 or configur\$6)) ((propt\$4 or configur\$6) near2 (file or template)) (web near application) (web.ti. or web.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 13:03
S12	258	(cache with (propt\$4 or configur\$6)) ((propt\$4 or configur\$6) near2 (file or template)) (web near application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 13:02
S11	44	((configur\$4 or propt\$4) near (file or template or table)) (device near4 (based or \$3dependent or specific)) @ay<"2005" (web or browser) ((browser or display) with device) (cache with (configur\$4 or propt\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 12:59
S10	65	((configur\$4 or propt\$4) near (file or template or table)) (device near4 (based or \$3dependent or specific)) (web or browser) ((browser or display) with device) (cache with (configur\$4 or propt\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 12:33
S9	16	((configur\$4 or propt\$4) near (file or template or table)) (device near4 (based or \$3dependent or specific)) (web near application) ((browser or display) with device) (cache with (configur\$4 or propt\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 12:32

## EAST Search History

S8	98	((configur\$4 or proptert\$4) near (file or template or table)) (device near4 (based or \$3dependent or specific)) ((browser or display) with device) (cache with (configur\$4 or proptert\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 12:32
S7	83	((configur\$4 or proptert\$4) near (file or template or table)) (device near4 (based or \$3dependent or specific)) browser (cache with (configur\$4 or proptert\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 12:31
S6	528	((configur\$4 or proptert\$4) near (file or template or table)) (device near4 (based or \$3dependent or specific)) browser cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 12:31
S5	56	(device near6 (based or specific or dependent\$2)) ((device near6 (configura\$6 or proptert\$4)) with (template or file)) @ay<"2005" (web near2 application) ((browser or display) near6 device) cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 12:29
S4	89	(device near6 (based or specific or dependent\$2)) ((device near6 (configura\$6 or proptert\$4)) with (template or file)) (web near2 application) ((browser or display) near6 device) cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 12:15
S3	252	(device near6 (based or specific or dependent\$2)) ((device near6 (configura\$6 or proptert\$4)) with (template or file)) (web near2 application) ((browser or display) near6 device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 12:14
S2	303	(device near6 (based or specific)) ((device near6 (configura\$6 or proptert\$4)) with (template or file)) (web near2 application) ((browser or display) same device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/08/28 12:14